

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 24.01.2012 23.01.2012 (GB) Version 2.1 Revision LFM-48W SSIM

1. Identification of the substance/mixture and of the company/undertaking

Product identifier	
Name of product	LFM-48W SSIM
Name of product	
Identified uses	
Sector of uses [SU] Soldering Material	
Effect of the substance / the mixture	
Distributor	Almit GmbH Dekan Groh Straße 4, DE-64720 Michelstadt Phone : +49 (0)6066 968840, Fax : +49 (0)6066 9688418 E-Mail : info@almit.de Internet : www.almit.de
Advice	Uwe Niedermayer E-mail (competent person): uniedermayer@almit.de
E-mail (competent person)	
Manufacturer	Nihon Almit Co. Ltd. Almit Building 2-14-2, Yayoicho, Nakano-ku, JP-164 Tokyo 164-8666 Phone: 00981 333792277
	E-Mail : tokyo2@almit.co.jp Internet : www.almit.com
Phone	

2. Hazards identification

2. Hazards identification

Classification according to 67/548/EEC or 1999/45/EC

R42/43 **R-phrases** 42/43 May cause sensitization by inhalation and skin contact.

Additional hints



Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS07

Signal word Danger

Hazard statements for health hazards

H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary Statements

Prevention

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P285	In case of inadequate ventilation wear respiratory protection.			
Response				
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.			
P304 + P341	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.			
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.			
Storage				
P403 + P235	Store in a well-ventilated place. Keep cool.			

Supplemental Hazard information (EU)

Health properties

Repeated exposure may cause skin dryness or cracking.

Other hazards

Adverse physicochemical effects

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Adverse human health effects and symptoms

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. May cause sensitization in susceptible people. Inhalation of dust may cause irritation of the respiratory system.

Other adverse effects

People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation. Process vapours can irritate airways, skin and eyes.

Information pertaining to special dangers for human and environment

Harmful by inhalation, in contact with skin and if swallowed.



Safety Data Sheet according to Regulation

(EC) No. 1907/2006 (REACH) Printed 24.01.2012 Revision 23.01.2012 (GB) Version 2.1 LFM-48W SSIM

3. Composition/information on ingredients

REACH registration number

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
8050-09-7	232-475-7	colophony	11,5 - 14	R43
7440-22-4	231-131-3	silver, metallic	2,8 - 3,2	

4. First aid measures

General information

Remove contaminated soaked clothing immediately. In case of allergic reactions, specially at respiratory tract, seek medical treatment immediately.

In case of inhalation

Remove the casualty into fresh air and keep him immobile. If intensive inhalation of fumes seek medical treatment immediately.

In case of skin contact

In case of contact with skin wash off immediately with plenty of water. Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Rinse out mouth and give plenty of water to drink. Induce vomiting if patient is conscious, seek medical advice.

5. Firefighting measures

Suitable extinguishing media

Fire-extinguishing activities according to surrounding. Foam Dry fire-extinguishing substance Dry powder Carbon dioxide sand

Extinguishing media which must not be used for safety reasons water

Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible. Carbon monoxide (CO) Carbon dioxide (CO2)

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



6. Accidental release measures

Personal precautions

Use personal protective clothing. Use breathing apparatus if exposed to vapours/dust/aerosol. Pay attention to extension of gas especially at ground (heavier than air) and in direction of the wind.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up

Send in suitable containers for recovery or disposal. **Additional Information** Informations for safe handling see chapter 7. Informations for personal protective equipment see chapter 8. Informations for disposal see chapter 13.

7. Handling and storage

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Use only in well-ventilated areas.

Advice on protection against fire and explosion

The product is not combustible.

Requirements for storage rooms and vessels

Ventilate store-rooms thoroughly. Keep only in original container.

Advice on storage compatibility

Do not store together with food. Store at cool and aired place and at distance to acids and alkalies.

Further information on storage conditions

Store at cool and aired place. Keep in a cool place.

Information on storage stability

Storage time 6 months maximum.

8. Exposure controls/personal protection

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2006/15/EC or 2009/161/EU)

CAS No	Name	Code	[mg/m3]	[ppm]	Remark	
7440-22-4	silver, metallic	8 hours	0,1			
•		ong-term effect use breat	hing apparatus.			
Hand prote PVC gloves Neoprene g	i					



Safety Data Sheet according to Regulation(EC) No. 1907/2006 (REACH)Printed24.01.2012Revision23.01.2012(GB) Version 2.1

LFM-48W SSIM

safe	e protection ety goggles, in case of increased risk add protective face shield tly fitting goggles	
	n protection tective clothing	
Avc	neral protective measures bid contact with eyes and skin not inhale gases/vapours/aerosols.	
At v Kee	giene measures work do not eat, drink, smoke or take drugs. ep separated from food and feed. sh hands and skin before breaks and after work.	

9. Physical and chemical properties

Form pasty	Colour grey			Odour mild		
Important health, safety	and environme	ntal information	on			
	Value	Temperature	at	Method	Remark	
melting range	217 - 220 °C					
Flash point	> 160 °C					
Ignition temperature	not determined					
Vapour pressure	< 0,1 mbar	20 °C				
Density	7,4 g/cm3	20 °C				
Bulk density	not determined					
Rel. vapour density	6	20 °C				
Solubility in water					insoluble	
Viscosity	150 - 300 Pa*s					
Explosive properties no						
Additional information						

10. Stability and reactivity



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

 Printed
 24.01.2012

 Revision
 23.01.2012 (GB) Version 2.1

 LFM-48W SSIM

Conditions to avoid no Materials to avoid	k						
	Reactions with acids and strong oxidising agents.						
Hazardous decomp Carbon monoxide ar Toxic metal compou Irritant gases/vapour	nd carbon dioxide. Inds						
11. Toxicological inform	mation						
Acute toxicity/Irrita	bility/Sensitizatio	on					
	Value/Validation	Species	Method	Remark			
Irritability skin	irritant						
Irritability eye	irritant						
Skin sensitization	sensitizing						
Data on eliminatior	n (persistence an Elimination rate	d degradability) Method of analysis	Method	Validation			
Biological degradability				not readily degradable			
Because of its consi	Degradability according to WRMG Because of its consistency the product cannot be dispersed in the environment. Adverse ecological effects are therefore unlikely on the basis of current knowledge.						
Mobility and bioace	cumulative poten	tial					
Mobility and bioac	Mobility and bioaccumulative potential						
Mobility and bioac	Mobility and bioaccumulative potential						
General regulation Product is not allowe		d into aquatic environ	ment, drains or sewa	ge treatment plants.			
13. Disposal considera	tions						
Recommendations Collect waste separa Remove in accordar	ated in suitable, lat	peled and lockable co ial regulations.	ntainers.				

Recommendations for packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken fot reuse.

Packaging that cannot be cleaned should be disposed of like the product.



14. Transport information

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

15. Regulatory information

Chemical Safety Assessment

16. Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 43 May cause sensitisation by skin contact.